

Spread the word.


Leave a review on Amazon.com Follow us @nimbleforgood

nimble Portable Chargers

LED Charge Status Indicator:

5 LED Power Guage -White LEDs indicate power levels when the status button is pressed and while charging the Portable Battery.

Multi-colored LED -Indicates charge output status. Green for standard charging, orange for high-speed PD charging.



Instructions for proper usage:

- Connect your USB device/s to the Nimble Portable Charger using the included USB-C cable or the USB cable that came with your device/s. The Multi-colored LED illuminates while the Nimble Portable Charger is charging any USB devices.
- Recharge the Nimble Battery by connecting the included USB-C cable to a power source like a Nimble USB Wall Charger and then inserting the Type-C connector into the battery's port marked "in/out".

- Treat gently and avoid dropping or horseplay.
- Do not disassemble or attempt to modify in any way.
- Clean the product using a dry cloth. Do not expose to liquids.
- This battery should not be used in enclosed spaces to avoid risk of overheating. Avoid extreme heat, hot environments and direct sunlight when charging.
- Contact Nimble directly if your product stops working or becomes damaged.

Important:

Stop using this product if it becomes damaged, punctured, deformed or if there is any corrosion. Never dispose of batteries in the garbage. Take action and bring worn out batteries to your local battery recycling center or return to Nimble for responsible reclamation.

Warranty:

Nimble works to deliver the best, most environmentally friendly products possible. To back that up, this product is warranted for 2 years from date of purchase in case anything is defective. This warranty does not affect any statutory rights that you may be entitled to. Keep a copy of your purchase receipt as proof of purchase.

nimble 10k Portable Charger

Output: USB-C: PD 3.0

(5V, 2.5A / 9V, 1.8A)

USB-C: PD 3.0 (5V, 3.0A / 9V, 2.0A / 12V, 1.5A) USB-A 1: (5V, 2.4A / 9V, 2.0A / 12V, 1.5A)

USB-A 2: (5V, 2.4A Max)

nimble 13k Portable Charger

Battery: 13,000mAh (3.6V / 48Wh)

Input: USB-C: PD 3.0 (5V, 2,5A / 9V, 2,0A)

Output: USB-C: PD

(5V, 2,4A Max)

A) (5V, 3.0A / 9V, 2.0A / 12V, 1.5A) USB-A 1: (5V, 2.4A / 9V, 2.0A / 12V, 1.5A) USB-A 2 & 3:

nimble 20k Portable Charger
Battery: 20,000mAh (3.6V / 72Wh

Input:	Output:
USB-C: PD 3.0	USB-C: PD 3.0
(5V, 2.5A / 9V, 2.0A)	(5V, 3.0A / 9V, 2.0A / 12V, 1.5A)
	USB-A 1:
	(5V, 2.4A / 9V, 2.0A / 12V, 1.5A)
	USB-A 2:
	(5V 24A Max)

nimble 26k Portable Charger

Battery: 26,800mAh (3.6V / 96Wh)

Input:	Output:
USB-C: PD 3.0	USB-C: PD 3.0
(5V, 2.5A / 9V, 2.0A)	(5V, 3.0A / 9V, 2.0A / 12V, 1.5A)
	USB-A 1:
	(5V, 2.4A / 9V, 2.0A / 12V, 1.5A)
	USB-A 2 & 3:

(5V, 2.4A Max)

Customer Service:

Web - gonimble.com/contact-us Email - hello@gonimble.com

Legal:

Nimble products are meant for use only with the appropriate, compatible devices. Please review this product on gonimble.com to determine whether this product is compatible with your particular device. Manufacturer is not responsible for any damages to any device incurred through the use of this product. Manufacturer will not be responsible or liable in any way to the user, or to any third party, for any damages the user or a third party may incur as a result of any intended or unintended use, or misuse of this product with other devices or accessories other than functions for which this product is designed. In using this product, you agree to indemnify Manufacturer for any resulting damages or injuries to you or any third parties.



Nimble for Good, Tech for Good, and Nimble are trademarks of Nimble for Good PBC.

All rights reserved. R.0